Lithium Iron Phosphate (LiFePO4) Battery		
SR12.8-25		12.8V25AH 320Wh
Features of LiFePO4 Battery		
Longer Cycle Life LiFePO4 batteries would be is five times than SLA batteries on cycle life High Power & Light weight LiFePO4 batteries performance twice power of SLA batteries, while half weight helpful for transport and installation Intelligent management control Intelligent BMS system covered by LFP batteries to ensure that batteries work on safety and perfect condition Lower Self-discharge rate Lower Self-discharge rate to guarantee LFP batteries be stored more longer than SLA batteries		
Physical Dimension		Applications
		 Alarm system UPS (replacement of SLA batteries) Marine, golf cart Boat PV ,solar light
	Chemistry	LiFePO4
Electrical Characteristics	Nominal Voltage	12.8V
	Nominal Capacity	25Ah (C5,25°C)
	Energy	320Wh
	Internal Resistance	≤50 mΩ
	Cycle Life	>2000 cycles @1C 100%DOD
	Months Self Discharge	<3%
	Efficiency of Charge	100% @0.5C
	Efficiency of Discharge	96-99% @1C
Standard Charge	Charge Voltage	14.6±0.2V
	Charge Mode	0.2C to 14.6V, then 14.6V, charge current to 0.02C (CC/CV)
	Charger Current	12.5A
	Max. Charge Current	25A
	Charge Cut-off Voltage	15.6V±0.2V
Standard Discharge	Rated Discharge Current	12.5A
	Max Discharge Current	25A
	Max. Pulse Current Discharge Cut-off Voltage	75A(<3s)
	Charge Temperature	0 °C to 45 °C (32Fto 113F) @60±25% Relative Humidity
	Discharge Temperature	-20 °C to 60 °C (-4F to 140F) @60±25% Relative Humidity
	Storage Temperature	0 °C to 40 °C (32Fto 104F) @60±25% Relative Humidity
	Water Dust Resistance	IP65
	BMS	Bluetooth available
	Plastic Case	ABS
Mechanical	Dimensions (in./mm.)	181*76*166 mm
Woonamou	Weight (lbs./kg.)	2.6kg(7.48 lbs)
	Terminal	M5

